



## COBAstat® ESD Mat

Comfortable anti-static mat for dry environments







- Comfortable and durable floor mat protects operatives from static build-up.
- $\bullet~$  ESD version of our popular Orthomat  $^{\!@}$  anti-fatigue range.
- Grounded via a 10 mm male stud fitted to the mat.
- Maximum performance when used with grounding wire.
- Available as a handy COBAstat® Floor Kit with accessories provided.
- Tested to EN14041 resistance requirements.
- Rv:  $1.1 \times 10^7 \Omega$

Material







## **Parts**

Part Number	Size	Colour	Weight
AS060001	0.6 m x 0.9 m	Grey	2.00 kg
AS060002	0.9 m x 1.5 m	Grey	4.50 kg
AS060003	0.9 m x 18.3 m	Grey	55.00 kg
AS060003C	0.9 m x per linear metre (max. 18.3 m)		2.00 kg

## **Technical Specification**

Closed cell PVC foam

Surface Finish	Pebble	
Product Height	9 mm	
Operating Temperature	0°C to +60°C	
Resistance to Chemicals	PVC is resistant to many different chemicals, alkalis and general industrial chemicals. PVC resists alcohols, aliphatic hydrocarbons, oils, weak acids, strong mineral acids and alkalis. PVC resists oil and grease if properly cleaned. PVC does not resist organic solvents, ketones, esters and aromatic hydrocarbons. Please contact us for more specific details	
Environmental Resistance	Suitable for dry indoor environments	
Typical Applications	Around machinery where static build up is common.  Not to be used in High Voltage Areas exceeding 240  Volts.	
Installation Method	Loose lay	
Accessories	ESD kits and accessories available	
Cleaning	Brush or mop the top surface	

Method	
Country of Origin	China

Get in touch | To order FREE samples or arrange a site visit please call +44 (0)116 240 1088 or email sales@cobaeurope.com