

BiGDUG LONGSPAN SHELVING



COMPONENTS CHECK LIST:



(A)

ASSEMBLED FRAME

Quantity:
2 per starter bay
1 per extension bay



(B)

SHELF BEAM

Quantity: 2 per level



(C)

BEAM SAFETY CLIP

Quantity: 2 per beam



(D)

CHIPBOARD DECK

Quantity:
Up to 1785mm W: 1 per level
1785mm W or over: 2 per level



(E)

SHELF SUPPORTS

Quantity: 0–3 per level
(see web for details)



(F)

LEVELLING PLATE

Quantity: 1 per foot



(G)










FLOOR FIXING


Quantity: 2 per foot

During assembly do not tighten bolts until all components are aligned properly, then tighten fully.

If you have any missing components please take note of the part name and contact your supplier.

Shelving is safe when used responsibly. If in doubt, contact the supplier.





Safety Instructions

Information:
If in doubt, contact the supplier:

- Read this guide before commencing assembly and retain for future reference
- Before commencing assembly, unpack carefully and check that all components ordered are included
- Assembly should be undertaken by a minimum of two competent people
- Tools – Large rubber mallet, metal hammer, drill and 12mm drill bit, 17mm socket
- Assess for floor fixing. Tall narrow bays require this to ensure stability
- We recommend products over 2000mm high are fixed to the wall where possible

Caution:
During assembly, ensure to:

- Take care during assembly and in use, particularly when lifting or stretching and when using tools
- Wear appropriate safety clothing – protective gloves and footwear are recommended
- Build on a suitable level floor, which is strong enough to support the load and allow adequate working space
- Dispose of packaging materials responsibly

Warning:
Rules for the safe use of shelving:

- Ensure these instructions are retained for reference and that users are aware of the rules for safe use
- Never climb on the structure or stand on the shelves
- Do not lean or support ladders, steps, or other objects against shelvings
- Always use safety steps to reach high shelves
- Do not use in damp or wet conditions
- Load heavy items on the lower shelves and lighter items on the higher shelves
- This product is designed for hand loading only
- Ensure that the maximum load carrying capacities are not exceeded
- For maximum stability we recommend shelving runs consisting of a minimum 3 beam levels per bay and 3 bays in length
- Load capacities will vary according to the clear height between each beam level - please call for advice